

BATTERY INFORMATION SHEET for Tridonic NiCd Batteries with a capacity of 1.8 Ah, 4.0 Ah & 4.5 Ah

1. IDENTIFICATION

1.1 Product

Trade name: Ni-Cd Battery

Application of the substance / the preparation: Consumable

1.2 Supplier

Headquarters: Tridonic GmbH & Co KG

Address: Färbergasse 15, 6851 Dornbirn

Phone/Fax: +43 5572 395-0 / +43 5572 20176

1.3 Emergency contact

In case of emergency please contact a Tridonic sales office in your region:

EUROPE:

Austria

Tridonic GmbH & Co KG

Head Office

Färbergasse 15

6851 Dornbirn

Austria

Tel: +43 5572 395-0

Fax: +43 5572 20176

sales@tridonic.com

www.tridonic.com

France

Tridonic France

8 Rue de Bruxelles

ZI Krafft

67150 Erstein

France

Tel: +33 3 88 59 62 70

Fax: +33 3 88 59 62 75

info.france@tridonic.com

www.tridonic.fr

Germany

Tridonic Deutschland GmbH

Edisonallee 1

89231 Neu-Ulm

Germany

Tel: +49 731 176629-0

Fax: +49 731 176629-15

vertrieb.deutschland@tridonic.com

www.tridonic.de

ITALY

Tridonic Italia srl

Viale della Navigazione

Interna, 115

35027 Noventa Padovana

Italy

Tel: +39 049 89 45 127

Fax: +39 049 87 04 715

vendite.italia@tridonic.com

servizio.tecnico@tridonic.com

www.tridonic.it

SPAIN

Tridonic Iberia, S.L.

OFICINA CENTRAL – MADRID

Calle Carpinteros nº 8, 2a

Poligono Industrial Pinares Llanos

28670 Villaviciosa de Odón

(Madrid)

Spain

Tel: +34 916 162 095

Fax: +34 916 165 695

ventas@tridonic.com

www.tridonic.es

TURKEY

Tridonic Aydınlatma Tic.Ltd. Şti.

Kemankeş Mah., Necatibey cad.

Akçe Sok., Akçe Han No: 10

34420 Karaköy/Beyoğlu

İSTANBUL

Turkey

Tel: +90 212 244 78 05

Fax: +90 212 244 78 06

satis@tridonic.com

www.tridonic.com

UNITED KINGDOM

Tridonic UK Ltd
Unit 7 Lindenwood
Chineham Business Park
Crockford Lane, Chineham
RG24 8LB Basingstoke
United Kingdom
Tel: +44 1256 374300
Fax: +44 1256 374200
enquiries.uk@tridonic.com
www.tridonic.com

SINGAPORE

Tridonic S.E.A. Pte Ltd
10 Tannery Lane
#03-01
347773 Singapore
Singapore
Tel: +65 62928148
Fax: +65 62933700
asean@tridonic.com
www.tridonic.com

NEW ZEALAND

Tridonic New Zealand Ltd
Airport Oaks Mangere
PO Box 107044
9 Aintree Ave
New Zealand
Tel: +64 9256 2310
Fax: +64 9256 0109
sales@tridonic.co.nz
www.tridonic.com

ASIA:

CHINA

Tridonic (Shanghai) Co., Ltd.
(Headquarters)
Room 602, Buliding B, Zhongs-
han International Plaza
No.789 Tianshanxi Road
200335 Shanghai
China
Tel: +86 21 52400599
Fax: +86 21 52400230
china@tridonic.com
www.tridonic.com

UNITED ARAB EMIRATES

Tridonic Middle East (FZE)
P.O. Box 17972
Jebel Ali Free Zone
Dubai
United Arab Emirates
Tel: +971 4 8833664
Fax: +971 4 8833665
sales.middleeast@tridonic.com
www.tridonic.ae

AFRICA:

SOUTH AFRICA

Tridonic SA (Pty) Ltd
Unit 7, Ground Floor, Old Trafford Office Park
C/O Trichardt and Leiths Road
Bartlett, Boksburg 1459
South Africa
Tel: +27 11 894 3525
Fax: +27 86 459 6035
www.tridonic.com

INDIA

Atco Controls (India) Pvt. Ltd.
38B Nariman Bhavan,
Nariman Point
400 021 Mumbai
India
Tel: +91 22 2202 5528
Fax: +91 22 2202 2304
sales@atcocontrols.com
www.tridonic.co.in

PACIFIC:

AUSTRALIA

Tridonic Australia Pty Ltd
43-47 Newton Road
Wetherill Park, NSW, 2164
Australia
Tel: +61 2 8788 5400
Fax: +61 2 8788 5488
infoau@tridonic.com
www.tridonic.com

2. HAZARD IDENTIFICATION

Hazard description: A sealed Ni-Cd Battery is not hazardous in normal use on principle.

Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the „General Classification guideline for preparations of the EU“ in the latest valid version.

Classification system:

The classification is according to the latest editions of 1907/2006/EC, EU Commission Directive 1999/45/EC,67/548/EEC, and extended by company and literature data.

3. COMPOSITION, INFORMATION ON INGREDIENTS

Chemical characterization: Mixture

Chemical Name	CAS No.	Concentration%
Nickel Hydride	12054-48-7	31%
Cadmium	7440-43-9	39%
Electrolyte	-	7%
Cobalt	7440-48-4	3%
Lanthanum	7439-91-0	4%
Iron	7439-89-6	2%
Other	-	14%

4. FIRST AID MEASURES

General information:

If exposure to internal materials within battery due to damaged outer casing, the following actions are recommended.

After inhalation:

Supply fresh air and to be sure call for a doctor. In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.

5. FIRE FIGHTING MEASURES

Suitable extinguishing agents: CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Protective equipment: Wear fully protective suit.

6. ACCIDENTAL RELEASE MEASURES

Person-related safety precautions: Wear protective equipment. Keep unprotected persons away.

Measures for environmental protection:

- Do not allow product to reach sewage system or any water source.
- Inform respective authorities in case of seepage into water course or sewage system.
- Do not allow to enter sewers/ surface or ground water.

Measures for cleaning/collecting:

If battery casing is dismantled, small amounts of electrolyte may leak. Collect all released material in a plastic lined container. Dispose off according to the local law and rules. Avoid leached substances to get into the earth, canalization or waters. Pick up and transfer to properly labeled containers.

Additional information: See Section 7 for information on safe handling.

7. HANDLING USAGE AND STORAGE PRECAUTIONS

Handling

Information for safe handling: No special measures required.

Information about fire - and explosion protection:

- Keep respiratory protective device available.
- Protect against electrostatic charges.
- Prevent impact and friction. Protect from heat

Storage

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Store away from flammable substances.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters: Ingredients with limit values that require monitoring at the workplace.

Cadmium

REACH 100mg/kg

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:

The glove material has to be impermeable and resistant to the product / the substance / the preparation. Due to missing tests no recommendation to the glove material can be given for the product / the preparation / the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:

Tightly sealed goggles.

9. PHYSICAL AND CHEMICAL PROPERTIES

General Information	
Form:	solid
Colour:	according to product specification
Odour:	Odourless
Change in condition	
Melting point/Melting range:	Not available
Boiling point/Boiling range:	Not available
Flash point:	Not available
Flammability (solid,gaseous):	Not available
Ignition temperature:	Not available
Self-Igniting	Product is not selfigniting.
Danger of explosion:	Extreme risk of explosion by fire or other sources of ignition.
Explosion limits:	
Lower:	Not available
Upper:	Not available
Oxidizing properties:	Not available
Vapour pressure:	Not available
Density:	Not available
Relative density:	Not available
Vapour density:	Not available
Evaporation rate:	Not available
Solubility in / Miscibility with water:	Not available
pH-value:	Not available
Segregation coefficient (n-octanol/water):	Not available
Viscosity:	
Dynamic:	Not available.

10. STABILITY AND REACTIVITY

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Dangerous decomposition products: No dangerous decomposition products known

11. TOXICOLOGICAL INFORMATION

Acute toxicity:

LD/LC50 values relevant for classification: 7440-43-9 Cadmium
oral / LD50 / 50 mg/kg (rat)

Primary irritant effect:

- On the skin: No irritant effect.
- On the eye: No irritating effect.

Sensitization: No sensitizing effects known.

Toxicokinetics, metabolism and distribution: Not available

Acute effects (acute toxicity, irritation and corrosivity): Not available

Repeated dose toxicity: Not available

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction): Not available

12. ECOLOGICAL INFORMATION

Information about elimination (persistence and degradability): Not available

Behaviour in environmental systems

Mobility and bioaccumulation potential: Not available

Ecotoxicological effects

Aquatic toxicity: Not available

Remark: Toxic for fish

Additional ecological information

General notes: No ecological impacts expected under normal use conditions.

The materials contained in this product may only represent below ecological impact if the integrity of the battery is compromised; physically or electrically abused.

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach sewage water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms.

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

PBT assessments: Not available

13. DISPOSAL CONSIDERATIONS

Product

Recommendation:

Must not be disposed together with household garbage. Do not allow product to reach sewage system

Uncleaned packaging

Recommendation: Disposal must be made according to official regulations.

14. TRANSPORT INFORMATION

Land transport ADR/RID (cross-border)

ADR/RID class:

Danger code (Kemler): –

UN-Number:

Packaging group:

Hazard label:

Description of goods:

Limited quantities (LQ):

Transport category:

Tunnel restriction code:

Maritime transport IMDG

IMDG Class: 9

UN Number: UN3496

Label:

Packaging group: SP117, SP963

EMS Number: F-A, S-I

Marine pollutant: no

Segregation groups: keep away from heat

Proper shipping name:

Air transport ICAO-TI and IATA-DGR

ICAO/IATA Class: –

UN/ID Number: –

Label: –

Packaging group: –

Proper shipping name: –

Transport/Additional information:

According to the IATA dangerous goods regulations(IATA DGR)(57th), the product complies with IATA DGR Special Provisions A123 requirement, and the product are not regulated for air transportation as „dangerous goods“. Such batteries must be packed in inner packagings in such a manner as to effectively prevent short circuits and to prevent movement which could lead to short circuits.

According to the IMO International Maritime Dangerous Goods Code(2010Edition),If the product pack complies with SP117 and SP963, the product are not regulated for Maritime transportation as „dangerous goods“.

15. REGULATORY INFORMATION

Special requirement be according to the local regulatory

16. OTHER INFORMATION

Preparation and revision information

Date of previous revision: Not applicable.

Date of this revision: 2015-10-21

Revision summary: The first New SDS.

The data in this Safety Data Sheet relates only to the specific material designated herein

The contents and format of this MSDS/SDS are in accordance with REGULATION(EC) No. 1907/2006, EU Commission Directive 1999/45/EC, 67/548/EEC.