



Attestation of Conformity

No. N8A 101524 0066 Rev. 00

Holder of Certificate: Hunan Xiezhen Electronics Co., Ltd.

Block A&B, Building 11. Innovation Park

Linyi Road, Bailutang Town

Suxian District

423038 Chenzhou, Hunan

PEOPLE'S REPUBLIC OF CHINA

Product: Power supply

(LED POWER SUPPLY)

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for testing and certification. For details see: www.tuvsud.com/ps-cert

Test report no.: 64142220168701

Date, 2022-07-08

(Richard Xu)

) - 1 +



After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. The declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.







Attestation of Conformity

No. N8A 101524 0066 Rev. 00

Model(s): ID CCCI 15/230/100-450 DALI FV1,

ID CCCI 30/230/400-750 DALI FV1

Brand: cupower



Parameters: Rated Voltage / Rated Frequency: 220-240VAC, 50/60Hz

or 220-240VDC

Rated input current: See model list Rated output: See model list

Protection against Electric Shock: SELV, Class II

Degree of Protection: IP20

Method of Installation: Independent Type of Output: Constant current

ta, tc: See model list

Tested EN 61347-1:2015/A1:2021 EN 61347-2-13:2014/A1:2017

according to: EN 6347-2-13.







Product Service

Attestation of Conformity

No. N8A 101524 0066 Rev. 00

Model list

Model list							
Model	Rated input current (A)	PF	Rated output voltage (VDC)	Rated output current (mA)	Max. output voltage (VDC)	Rated output power (W)	ta/tc(°C)
ID CCCI 15/230/100- 450 DALI FV1	Max.0.085	0.9C	2.5-52	100	59	5.2	20 to 50/75
		0.9C	2.5-52	150		7.8	
		0.9C	2.5-52	200		10.4	
		0.9C	2.5-52	250		13.0	
		0.9C	2.5-50	300		15.0	
		0.9C	2.5-42	350		14.7	
		0.9C	2.5-37	400		14.8	
		0.9C	2.5-33	450		14.85	
ID CCCI 30/230/400- 750 DALI FV1	Max.0.17	0.9C	2.5-52	400	59	20.8	20 to 50/75
		0.9C	2.5-52	450		23.4	
		0.9C	2.5-52	500		26.0	
		0.9C	2.5-52	550		28.6	
		0.9C	2.5-50	600		30.0	
		0.9C	2.5-46	650		29.9	
		0.9C	2.5-42	700		29.4	
		0.9C	2.5-40	750		30.0	



After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. The declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.

