



Product Service

Attestation of Conformity

No. E8A 101524 0077 Rev. 00

Holder of Certificate: **Hunan Xiezheng Electronics Co., Ltd.**
Block A&B, Building 11. Innovation Park
Linyi Road, Bailutang Town
Suxian District
423038 Chenzhou, Hunan
PEOPLE'S REPUBLIC OF CHINA

Name of Object: **Power supply
(LED POWER SUPPLY)**

This Attestation of Conformity is issued on a voluntary basis according to the Directive 2014/30/EU relating to electromagnetic compatibility. It confirms that the listed apparatus complies with all essential requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for testing and certification. For details see: www.tuvsud.com/ps-cert

Test report no.: 64740220327901

Date, 2022-09-30

(Peter Jia)

Page 1 of 4

After preparation of the necessary technical documentation as well as the EU Declaration of conformity the required CE marking can be affixed on the product. That Declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



Attestation of Conformity

No. E8A 101524 0077 Rev. 00

Model(s): ID LCCB 35/230/350-700 DIP FV1,
 ID LCCB 35/230/500-850 DIP FV1,
 ID LCCB 50/230/750-1100 DIP FV1,
 ID LCCB 50/230/1050-1400 DIP FV1,
 ID LCCB 75/230/1300-1650 DIP FV1,
 ID LCCB 75/230/1650-2000 DIP FV1,
 ID LCCB 100/230/1850-2200 DIP FV1

Description of Object:

Rated voltage: 220-240VAC, 50/60Hz or 220-240VDC
 Rated input current: See model list
 Rated output: See model list

| Item No. | Model | Rated input current (A) | Rated output voltage (VDC) | Rated output current (mA) | Uout (VDC) | Max. output power (W) |
|----------|---------------------------------|-------------------------|----------------------------|---------------------------|------------|-----------------------|
| 1 | ID LCCB 35/230/350-700 DIP FV1 | Max. 0.22 | 15-54 | 350 | 60 | 18.9 |
| | | | 15-54 | 400 | | 21.6 |
| | | | 15-54 | 450 | | 24.3 |
| | | | 15-54 | 500 | | 27 |
| | | | 15-54 | 550 | | 29.7 |
| | | | 15-54 | 600 | | 32.4 |
| | | | 15-54 | 650 | | 34.45 |
| | | | 15-50 | 700 | | 35 |
| 2 | ID LCCB 35/230/500-850 DIP FV1 | Max. 0.22 | 15-54 | 500 | 60 | 27 |
| | | | 15-54 | 550 | | 29.7 |
| | | | 15-54 | 600 | | 32.4 |
| | | | 15-53 | 650 | | 34.45 |
| | | | 15-50 | 700 | | 35 |
| | | | 15-47 | 750 | | 35 |
| | | | 15-44 | 800 | | 35 |
| | | | 15-41 | 850 | | 35 |
| 3 | ID LCCB 50/230/750-1100 DIP FV1 | Max. 0.3 | 15-54 | 750 | 60 | 40.5 |
| | | | 15-54 | 800 | | 43.2 |
| | | | 15-54 | 850 | | 45.9 |
| | | | 15-54 | 900 | | 48.6 |

Page 2 of 4

After preparation of the necessary technical documentation as well as the EU Declaration of conformity the required CE marking can be affixed on the product. That Declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



Attestation of Conformity

No. E8A 101524 0077 Rev. 00

| | | | | | | |
|---|--|----------|-------|------|----|------|
| | | | 15-53 | 950 | | 50 |
| | | | 15-50 | 1000 | | 50 |
| | | | 15-48 | 1050 | | 50 |
| | | | 15-45 | 1100 | | 50 |
| 4 | ID LCCB 50/230/1050-1400 DIP FV1 | Max. 0.3 | 15-47 | 1050 | 60 | 50 |
| | | | 15-45 | 1100 | | 50 |
| | | | 15-43 | 1150 | | 50 |
| | | | 15-42 | 1200 | | 50 |
| | | | 15-40 | 1250 | | 50 |
| | | | 15-38 | 1300 | | 50 |
| | | | 15-37 | 1350 | | 50 |
| | | | 15-36 | 1400 | | 50 |
| 5 | ID LCCB 75/230/1300-1650 DIP FV1 | Max. 0.4 | 15-54 | 1300 | 60 | 70.2 |
| | | | 15-54 | 1350 | | 72.9 |
| | | | 15-53 | 1400 | | 75 |
| | | | 15-52 | 1450 | | 75 |
| | | | 15-50 | 1500 | | 75 |
| | | | 15-48 | 1550 | | 75 |
| | | | 15-47 | 1600 | | 75 |
| | | | 15-45 | 1650 | | 75 |
| 6 | ID LCCB 75/230/1650-2000 DIP FV1 | Max. 0.4 | 15-46 | 1650 | 60 | 75 |
| | | | 15-44 | 1700 | | 75 |
| | | | 15-43 | 1750 | | 75 |
| | | | 15-42 | 1800 | | 75 |
| | | | 15-41 | 1850 | | 75 |
| | | | 15-39 | 1900 | | 75 |
| | | | 15-38 | 1950 | | 75 |
| | | | 15-37 | 2000 | | 75 |



Product Service

Attestation of Conformity

No. E8A 101524 0077 Rev. 00

| | | | | | | |
|---|---|-----------|-------|------|----|-----|
| 7 | ID LCCB 100/230/1850-2200 DIP FV1 | Max. 0.55 | 15-54 | 1850 | 60 | 100 |
| | | | 15-53 | 1900 | | 100 |
| | | | 15-51 | 1950 | | 100 |
| | | | 15-50 | 2000 | | 100 |
| | | | 15-49 | 2050 | | 100 |
| | | | 15-48 | 2100 | | 100 |
| | | | 15-46 | 2150 | | 100 |
| | | | 15-45 | 2200 | | 100 |

Tested according to:

- EN IEC 55015:2019
- EN IEC 55015:2019/A11:2020
- EN 61547:2009
- EN IEC 61000-3-2:2019/A1:2021
- EN 61000-3-3:2013/A2:2021

Page 4 of 4

After preparation of the necessary technical documentation as well as the EU Declaration of conformity the required CE marking can be affixed on the product. That Declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.